

# Safety Data Sheet

Issue date: 17/02/2022 Revision date: 07/06/2023 Supersedes version of: 23/01/2023 Version: 2.1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## **1.1. Product identifier**

:	Mixture
:	Wykabor 40.1
:	FG66

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

## 1.2.1. Relevant identified uses

Main use category

Product form Product name

Product code

: Professional use

#### 1.2.2. Uses advised against

No additional information available

## **1.3. Details of the supplier of the safety data sheet**

#### Manufacturer

Wykamol Group Ltd. Unit 3. Boran Court. Network 65 Business Park. Hapton, Burnley BB11 5TH - United Kingdom T +44 (0) 1282 473100 info@wykamol.com - www.wykamol.com

#### **1.4. Emergency telephone number**

Emergency number

: +44 (0) 1282 473100 (0800 - 1700 UK time)

# SECTION 2: Hazards identification

# 2.1. Classification of the substance or mixture

# Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1, Sub-Category 1B	H314
Reproductive toxicity, Category 1B	H360
Specific target organ toxicity – Single exposure, Category 3, Respiratory	H335
tract irritation	

Full text of H- and EUH-statements: see section 16

# Adverse physicochemical, human health and environmental effects

No additional information available

# 2.2. Label elements

# Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

Signal word (CLP) Contains Hazard statements (CLP)

Precautionary statements (CLP)



: Danger

: Boric Acid; 2-aminoethanol

- : H314 Causes severe skin burns and eye damage.
  - H335 May cause respiratory irritation.
  - H360 May damage fertility or the unborn child.
- : P202 Do not handle until all safety precautions have been read and understood.
- P261 Avoid breathing fume, gas, mist, spray, vapours.
- P264 Wash hands, forearms and face thoroughly after handling.
- P271 Use only outdoors or in a well-ventilated area.

P280 - Wear protective gloves, protective clothing, eye protection, face protection.

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.
Rinse skin with water .
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313 - IF exposed or concerned: Get medical advice/attention.
P405 - Store locked up.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

# 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

# **SECTION 3: Composition/information on ingredients**

## 3.1. Substances

### Not applicable

# 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Boric Acid substance listed as REACH Candidate	CAS-No.: 10043-35-3 EC-No.: 233-139-2 EC Index-No.: 005-007-00-2 REACH-no: 01-2119486683- 25	≥ 25 – < 50	Repr. 1B, H360FD
PROPYLENE GLYCOL substance with national workplace exposure limit(s) (GB)	CAS-No.: 57-55-6 EC-No.: 200-338-0 REACH-no: 01-2119456809- 23	≥ 10 – < 25	Not classified
2-aminoethanol substance with national workplace exposure limit(s) (GB)	CAS-No.: 141-43-5 EC-No.: 205-483-3 EC Index-No.: 603-030-00-8 REACH-no: 01-2119486455- 28	≥ 10	Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314
SILICA substance with national workplace exposure limit(s) (GB)	CAS-No.: 112945-52-5 EC-No.: 262-373-8 REACH-no: 01-2119379499- 16	≥1-<3	Not classified

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
2-aminoethanol	CAS-No.: 141-43-5 EC-No.: 205-483-3 EC Index-No.: 603-030-00-8 REACH-no: 01-2119486455- 28	( 5 ≤C ≤ 100) STOT SE 3, H335

Full text of H- and EUH-statements: see section 16

Safety Data Sheet

# **SECTION 4: First aid measures**

4.1. Description of first aid measures			
First-aid measures general	: Never give anything by mouth to an unconscious person. IF exposed or concerned: Get medical advice/attention.		
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. Call a POISON CENTER/doctor if you feel unwell.		
First-aid measures after skin contact	: Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER/doctor.		
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.		
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.		
4.2. Most important symptoms and effects, both acute and delayed			
Symptoms/effects Symptoms/effects after inhalation	<ul><li>Causes severe skin burns and eye damage.</li><li>May cause respiratory irritation.</li></ul>		

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

# SECTION 5: Firefighting measures

5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	<ul><li>Foam. Dry powder. Carbon dioxide. Water spray. Sand.</li><li>Do not use a heavy water stream.</li></ul>
5.2. Special hazards arising from the substa	ince or mixture
No additional information available	
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

· ····································	
	chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
6.1.1. For non-emergency personnel Emergency procedures	: Evacuate unnecessary personnel.	
6.1.2. For emergency responders		
Protective equipment Emergency procedures	<ul><li>Equip cleanup crew with proper protection.</li><li>Ventilate area.</li></ul>	
6.2. Environmental precautions		

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up		
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.	
6.4. Reference to other sections		

See Section 8. Exposure controls and personal protection.

Safety Data Sheet

SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not breathe dust/fume/gas/mist/vapours/spray. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Avoid breathing dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area.		
Hygiene measures	: Wash hands, forearms and face thoroughly after handling. Wash contaminated clothing before reuse.		
7.2. Conditions for safe storage, including any incompatibilities			
Technical measures Storage conditions	<ul> <li>Comply with applicable regulations.</li> <li>Keep only in the original container in a cool, well ventilated place away from : Keep container tightly closed.</li> </ul>		
Incompatible products Incompatible materials	<ul><li>Strong bases. Strong acids.</li><li>Sources of ignition. Direct sunlight.</li></ul>		

7.3. Specific end use(s)

No additional information available

# SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

## 8.1.1 National occupational exposure and biological limit values

2-aminoethanol (141-43-5)		
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	2.5 mg/m <sup>3</sup>	
WEL TWA (OEL TWA) [2]	1 ppm	
WEL STEL (OEL STEL)	7.6 mg/m³	
WEL STEL (OEL STEL) [ppm]	3 ppm	
Remark	Sk	
PROPYLENE GLYCOL (57-55-6)		
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	474 mg/m³	
WEL TWA (OEL TWA) [2]	150 ppm	
SILICA (112945-52-5)		
United Kingdom - Occupational Exposure Limits		
Local name	Silica ,amorphous	
WEL TWA (OEL TWA) [1]	6 mg/m³	

# 8.1.2. Recommended monitoring procedures

No additional information available

## 8.1.3. Air contaminants formed

No additional information available

Safety Data Sheet

844 DNEL and DNEC			
8.1.4. DNEL and PNEC			
Boric Acid (10043-35-3)			
DNEL/DMEL (Workers)			
Long-term - systemic effects, dermal	392 mg/kg bw/day		
Long-term - systemic effects, inhalation	8.3 mg/m <sup>3</sup>		
DNEL/DMEL (General population)			
Acute - systemic effects, oral	0.98 mg/kg bw/day		
Long-term - systemic effects,oral	0.98 mg/kg bw/day		
Long-term - systemic effects, inhalation	4.15 mg/kg bw/day		
Long-term - systemic effects, dermal	196 mg/kg bw/day		
PNEC (Water)			
PNEC aqua (freshwater)	1.35 mg/l		
PNEC aqua (marine water)	1.35 mg/l		
PNEC aqua (intermittent, freshwater)	9.1 mg/l		
PNEC (Sediment)			
PNEC sediment (freshwater)	1.8 mg/kg dwt		
PNEC sediment (marine water)	1.8 mg/kg dwt		
PNEC (STP)			
PNEC sewage treatment plant	1.75 mg/l		
2-aminoethanol (141-43-5)			
DNEL/DMEL (Workers)			
Long-term - systemic effects, dermal	1 mg/kg bw/day		
Long-term - local effects, inhalation	3.3 mg/m <sup>3</sup>		
DNEL/DMEL (General population)			
Long-term - systemic effects,oral	3.75 mg/kg bw/day		
Long-term - systemic effects, dermal	0.24 mg/kg bw/day		
Long-term - local effects, inhalation	2 mg/m³		
PNEC (Water)			
PNEC aqua (freshwater)	0.085 mg/l		
PNEC aqua (marine water)	0.0085 mg/l		
PNEC aqua (intermittent, freshwater)	0.028 mg/l		
PNEC (Sediment)			
PNEC sediment (freshwater)	0.434 mg/kg dwt		
PNEC sediment (marine water)	0.043 mg/kg dwt		
PNEC (Soil)			
PNEC soil	0.035 mg/kg dwt		
PNEC (STP)			
PNEC sewage treatment plant 100 mg/l			
·	•		

Safety Data Sheet

PROPYLENE GLYCOL (57-55-6)		
DNEL/DMEL (Workers)		
Long-term - systemic effects, inhalation	168 mg/m³	
Long-term - local effects, inhalation	10 mg/m³	
DNEL/DMEL (General population)		
Long-term - systemic effects,oral	85 mg/m³	
Long-term - systemic effects, inhalation	50 mg/m³	
Long-term - systemic effects, dermal	213 mg/m <sup>3</sup>	
Long-term - local effects, inhalation	10 mg/m³	
PNEC (Water)	·	
PNEC aqua (freshwater)	260 mg/l	
PNEC aqua (marine water)	26 mg/l	
PNEC aqua (intermittent, freshwater)	183 mg/l	
PNEC (Sediment)	·	
PNEC sediment (freshwater)	572 mg/kg dwt	
PNEC sediment (marine water)	57.2 mg/kg dwt	
PNEC (Soil)	·	
PNEC soil	50 mg/kg dwt	
PNEC (STP)		
PNEC sewage treatment plant	20000 mg/l	
SILICA (112945-52-5)		
DNEL/DMEL (Workers)		
Long-term - local effects, inhalation	4 mg/m³	
PNEC (Oral)		
PNEC oral (secondary poisoning)	60000 mg/kg food	

## 8.1.5. Control banding

No additional information available

8.2. Exposure controls

## 8.2.1. Appropriate engineering controls

No additional information available

## 8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



### 8.2.2.1. Eye and face protection

**Eye protection:** Chemical goggles or face shield Safety Data Sheet

### 8.2.2.2. Skin protection

**Skin and body protection:** Wear suitable protective clothing

Hand protection: Wear protective gloves.

### 8.2.2.3. Respiratory protection

**Respiratory protection:** Wear appropriate mask

#### 8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

#### Other information:

Do not eat, drink or smoke during use.

# SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Colorless to pale yellow liquid.
Colour	: vellowish.
Odour	
Odour threshold	No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: No data available
Density	: 1.3 – 1.4
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

No additional information available

# SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive vapours.

## **10.2. Chemical stability**

Not established.

Safety Data Sheet

# 10.3. Possibility of hazardous reactions

Not established.

# 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

# Strong acids. Strong bases.

**10.6. Hazardous decomposition products** 

fume. Carbon monoxide. Carbon dioxide. Thermal decomposition generates : Corrosive vapours.

SECTION 11: Toxicological information		
11.1 Information on toxicological effects		
Acute toxicity (dermal) :	Not classified Not classified Not classified	
Boric Acid (10043-35-3)		
LD50 oral rat	> 2600 mg/kg bodyweight	
LD50 dermal rabbit	> 2000 mg/kg bodyweight	
2-aminoethanol (141-43-5)		
LD50 oral rat	1089 mg/kg	
LC50 Inhalation - Rat	> 1.3 mg/l	
PROPYLENE GLYCOL (57-55-6)		
LD50 oral rat	> 22000 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg bodyweight	
LC50 Inhalation - Rat	41 mg/l	
SILICA (112945-52-5)		
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg	
LC50 Inhalation - Rat	> 0.139 mg/l/4h	
Skin corrosion/irritation :	Causes severe skin burns.	
PROPYLENE GLYCOL (57-55-6)		
рН	6.5 - 7.5	
SILICA (112945-52-5)		
рН	3.8 – 4.3 DIN EN ISO 787-9	
	Assumed to cause serious eye damage	
PROPYLENE GLYCOL (57-55-6)		
рН	6.5 – 7.5	
SILICA (112945-52-5)		
рН	3.8 – 4.3 DIN EN ISO 787-9	
	Not classified Based on available data, the classification criteria are not met	

# Safety Data Sheet

Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity	: May damage fertility or the unborn child.
STOT-single exposure	: May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
Additional information	: Based on available data, the classification criteria are not met
PROPYLENE GLYCOL (57-55-6)	
Viscosity, kinematic	43 mm²/s At 20°C
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met

SECTION 12: Ecological information		
12.1. Toxicity		
Hazardous to the aquatic environment, short–term : Not classified (acute) Hazardous to the aquatic environment, long–term : Not classified (chronic)		
Boric Acid (10043-35-3)		
LC50 - Fish [1]	456 mg/l	
LC50 - Other aquatic organisms [1]	760 mg/l	
EC50 72h - Algae [1]	229 mg/l	
2-aminoethanol (141-43-5)		
LC50 - Fish [1]	170 mg/l	
LC50 - Fish [2]	349 mg/l	
EC50 - Crustacea [1]	65 mg/l	
EC50 72h - Algae [1]	22 mg/l	
EC50 72h - Algae [2]	2.5 mg/l	
NOEC chronic fish	1.2 mg/l	
NOEC chronic crustacea	0.85 mg/l	
PROPYLENE GLYCOL (57-55-6)		
LC50 - Fish [1]	> 55770 mg/l	
LC50 - Fish [2]	> 40613 mg/l Oncorhynchus mykiss (Rainbow trout)	
LC50 - Other aquatic organisms [1]	34400 mg/l	
EC50 - Crustacea [1]	> 4000 mg/l	
EC50 96h - Algae [1]	19000 mg/l	
EC50 96h - Algae [2]	19100 mg/l	
NOEC chronic fish	13020 mg/l	
NOEC chronic crustacea	29000 mg/l	
NOEC chronic algae	15000 mg/l	

Safety Data Sheet

LC50 - Fish [1]     > 10000 mg/l Brachydanio rerio (zebra-fish)       EC50 - Crustacea [1]     > 10000 mg/l       12.2. Persistence and degradability     Not established.       2-aminoethanol (141-43-5)     Biodingri incubation time 5d       Biodingri incubation (1400)     1170 g 02/l       Chemical oxygen demand (ISOD)     4700 g 02/l       Biodingri incubation (1400)     1170 g 02/l       Chemical oxygen demand (ISOD)     4700 g 02/l       Biodingri incubation (141-43-5)     Viri incubation (141-43-5)       Partition coefficient n-octanol/water (Log Kow)     -2.46 (22°C       PROPYLENE GLYCOL (57-55-6)        Organic Carbon Normalized Adsorption Coefficient (16 (20 °C       Component     0.46 (20°C       Component     Chef (10043-35-3)       This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII       This substance/mixture does not meet the the PST	SILICA (112945-52-5)	
12.2. Persistence and degradability         Wykabor 40.1         Persistence and degradability       Not established.         2:aminoothanol (141-43-5)         Biochemical oxygen demand (BOD)       800mgi incubation time 5d         Biodegradability       Not established.         Biodegradability       Not established.         Biochemical oxygen demand (BOD)       1170 g 02/l         Chemical oxygen demand (COD)       4700 g 02/l         Biodegradation       > 81 %         2:3. Bioaccurulative potential       Not established.         Biodegradation       > 81 %         2:3. Bioaccurulative potential       Not established.         Bioaccurulative potential       Not established.         2:aminoothanol (141-43-5)       Partition coefficient n-octanolwater (Log Kow)         PATION coefficient n-octanolwater (Log Kow)       -2.46 @25°C         PROPYLENE GLYCOL (57-55-6)       Stablished.         Bioconcentration factor (BCF REACH)       < 0.09	LC50 - Fish [1]	> 10000 mg/l Brachydanio rerio (zebra-fish)
Wykabor 40.1         Not established.           2-aminoethanol (141-43-5)         Blochemical oxygen demand (BOD)         B00mg/g incubation time 5d           Biodegradation         > 90 %           PROPYLENE GLYCOL (57-55-6)         Presistence and degradability         Not established.           Biochemical oxygen demand (BOD)         1170 g O2/l         Chemical oxygen demand (BOD)           Biochemical oxygen demand (BOD)         1170 g O2/l         Biodegradation           Biodegradation         > 81 %         Statistical Componential           Wykabor 40.1         Biodegradation         > 81 %           Biodegradation         > 81 %         Statistical Componential           Wykabor 40.1         Not established.         Statistical Componential           Wykabor 40.1         Biodecumulative potential         Not established.           2-aminoethanol (141-43-5)         Partition coefficient n-octanol/water (Log Kow)         2.46 (825°C           PROPYLENE GLYCOL (57-55-6)         Statisthed.         Statisthed.           Propylex GLYCOL (57-55-6)         Statisthed.         Statisthed.           Biodecumulative potential         Not established.         Statisthed.           12.4. Mobility in soil         PROPYLENE GLYCOL (57-55-6)         Statisthed.           Statisthed of PBT and vPvB assessment	EC50 - Crustacea [1]	> 10000 mg/l
Persistence and degradability         Not established.           2-aminoothanol (141-43-5)         800mg/g incubation time 5d           Biochemical oxygen demand (BOD)         800mg/g incubation time 5d           Biodegradation         > 90 %           POPYLENE GLYCOL (57-55-6)         Persistence and degradability           Biochemical oxygen demand (BOD)         1170 g 02/l           Chemical oxygen demand (BOD)         4700 g 02/l           Biodegradation         > 81 %           2.3. Bioaccumulative potential         Wykabor 40.1           Biocoumulative potential         Not established.           2-aminoethanol (141-43-5)         Partition coefficient n-octanol/water (Log Kow)           PATOPYLENE GLYCOL (57-55-6)         Sioconcentration factor (BCF REACH)           Pictor coefficient n-octanol/water (Log Pow)         1.07           Bioaccumulative potential         Not established.           24.4. Mobility in soil         POPYLENE GLYCOL (57-55-6)           ProPyLENE GLYCOL (57-55-6)         Conganic Carbon Normalized Adsorption Coefficient (Log Pow)           0.46 @20°C         Component           (Log Koc)         0.46 @20°C           2.5. Results of PBT and vPvB assessment         Component           Corporent         Siociaccumulative does not meet the PPT criteria of REACH regulation, annex XIII This substance/	12.2. Persistence and degradability	
2-aminoethanol (141-43-5)         Biochemical oxygen demand (BOD)       800mg/g incubation time 5d         Biodegradation       > 90 %         PROPYLENE GLYCOL (57-55-6)       Persistence and degradability       Not established.         Biochemical oxygen demand (BOD)       1170 g O2/l       Chemical oxygen demand (COD)         Biochemical oxygen demand (COD)       4700 g O2/l       Biodegradation         Biodegradation       > 81 %       Stablished.         12.3. Bioaccumulative potential       Not established.       Stablished.         Vykabor 40.1       Bioaccumulative potential       Not established.         2-aminoethanol (141-43-5)       Partition coefficient n-octanol/water (Log Kow)       -2.46 @25°C         PROPYLENE GLYCOL (57-55-6)       Bioconcentration factor (BCF REACH)       < 0.09	Wykabor 40.1	
Biochemical oxygen demand (BOD)     B00mg/g incubation time 5d       Biodegradation     > 90 %       PROPYLENE GLYCOL (57-55-6)     Persistence and degradability     Not established.       Biochemical oxygen demand (BOD)     1170 g O2/1       Chemical oxygen demand (COD)     4700 g O2/1       Biodegradation     > 81 % <b>12.3. Bioaccumulative potential</b> Vykabor 40.1       Bioaccumulative potential     Not established. <b>2-aminoethanol (141-43-5)</b> Partition coefficient n-octanol/water (Log Kow)       PATUENE GLYCOL (57-55-6)     Siooncountration factor (BCF REACH)       Bioaccumulative potential     Not established. <b>12.4. Mobility in soil</b> PAOPYLENE GLYCOL (57-55-6)       Organic Carbon Normalized Adsorption Coefficient (Log Koc)     0.46 @20°C <b>12.5. Results of PBT and vPvB assessment</b> Component       Component     This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvG criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvG criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvG criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvG criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvG criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvG criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvG criteria of REACH regulation, annex XIII This substance/mi	Persistence and degradability	Not established.
Biodegradation       >90 %         PROPYLENE GLYCOL (57-55-6)         Persistence and degradability       Not established.         Biochemical oxygen demand (BOD)       1170 g O2/l         Chemical oxygen demand (COD)       4700 g O2/l         Biodegradation       >81 %         12.3. Bioaccumulative potential       Not established.         Wykabor 40.1       Bioaccumulative potential         Bioaccumulative potential       Not established.         2-aminoethanol (14143-5)       Partition coefficient n-octanol/water (Log Kow)         PROPYLENE GLYCOL (57-55-6)       2.46 @25°C         Bioconcentration factor (BCF REACH)       <0.09	2-aminoethanol (141-43-5)	
PROPYLENE GLYCOL (57-55-6)           Persistence and degradability         Not established.           Biochemical oxygen demand (BOD)         1170 g 02/l           Chemical oxygen demand (COD)         4700 g 02/l           Biodegradation         > 81 %           12.3. Bioaccumulative potential         Wykabor 40.1           Bioaccumulative potential         Not established.           2-aminoethanol (141-43-5)         Partition coefficient n-octanol/water (Log Kow)           PARTYLENE GLYCOL (57-55-6)         2.46 @25°C           Bioconcentration factor (BCF REACH)         < 0.09	Biochemical oxygen demand (BOD)	800mg/g incubation time 5d
Persistence and degradability       Not established.         Biochemical oxygen demand (BOD)       1170 g O2/l         Chemical oxygen demand (COD)       4700 g O2/l         Biodegradation       > 81 % <b>12.3. Bioaccumulative potential Wykabor 40.1</b> Bioaccumulative potential       Not established. <b>2.46 @25°C PROPYLENE GLYCOL (57-55-6)</b> Bioaccumulative potential       < 0.09	Biodegradation	> 90 %
Biochemical oxygen demand (BOD)       1170 g O2/l         Chemical oxygen demand (COD)       4700 g O2/l         Biodegradation       >81 %         12.3. Bioaccumulative potential       Vykabor 40.1         Bioaccumulative potential       Not established.         2-aminoothanol (141-43-5)       Partition coefficient n-octanol/water (Log Kow)         PAPYLENE GLYCOL (57-55-6)       -2.46 @25°C         Bioconcentration factor (BCF REACH)       < 0.09	PROPYLENE GLYCOL (57-55-6)	
Chemical oxygen demand (COD)       4700 g O2/l         Biodegradation       > 81 %         12.3. Bioaccumulative potential       Not established.         Wykabor 40.1       Bioaccumulative potential         Bioaccumulative potential       Not established.         2-aminoethanol (141-43-5)       Partition coefficient n-octanol/water (Log Kow)         Partition coefficient n-octanol/water (Log Kow)       -2.46 @25°C         PROPYLENE GLYCOL (57-55-6)       Bioconcentration factor (BCF REACH)         Bioaccumulative potential       Not established.         12.4. Mobility in soil       Not established.         PROPYLENE GLYCOL (57-55-6)       Organic Carbon Normalized Adsorption Coefficient (Log Koc)         0.46 @20°C       Component         Boric Acid (10043-35-3)       This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPVB criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPVB criteria of REACH regulation, annex XIII         12.6. Other adverse effects       This substance/mixture does not meet the vPVB criteria of REACH regulation, annex XIII	Persistence and degradability	Not established.
Biodegradation       > 81 %         12.3. Bioaccumulative potential       Not established.         2-aminoethanol (141-43-5)       Partition coefficient n-octanol/water (Log Kow)       -2.46 @25°C         PROPYLENE GLYCOL (57-55-6)       Bioconcentration factor (BCF REACH)       < 0.09	Biochemical oxygen demand (BOD)	1170 g O2/l
12.3. Bioaccumulative potential         Wykabor 40.1         Bioaccumulative potential       Not established.         2-aminoethanol (141-43-5)         Partition coefficient n-octanol/water (Log Kow)       -2.46 @25°C         PROPYLENE GLYCOL (57-55-6)         Bioconcentration factor (BCF REACH)       < 0.09	Chemical oxygen demand (COD)	4700 g O2/l
Wykabor 40.1         Bioaccumulative potential       Not established.         2-aminoethanol (141-43-5)         Partition coefficient n-octanol/water (Log Kow)       -2.46 @25°C         PROPYLENE GLYCOL (57-55-6)         Bioconcentration factor (BCF REACH)       < 0.09	Biodegradation	> 81 %
Bioaccumulative potential       Not established.         2-aminoethanol (141-43-5)       -2.46 @25°C         Partition coefficient n-octanol/water (Log Kow)       -2.46 @25°C         PROPYLENE GLYCOL (57-55-6)	12.3. Bioaccumulative potential	
2-aminoethanol (141-43-5)         Partition coefficient n-octanol/water (Log Kow)       -2.46 @25°C         PROPYLENE GLYCOL (57-55-6)         Bioconcentration factor (BCF REACH)       < 0.09	Wykabor 40.1	
Partition coefficient n-octanol/water (Log Kow)       -2.46 @25°C         PROPYLENE GLYCOL (57-55-6)       -2.46 @25°C         Bioconcentration factor (BCF REACH)       < 0.09	Bioaccumulative potential	Not established.
PROPYLENE GLYCOL (57-55-6)         Bioconcentration factor (BCF REACH)       < 0.09	2-aminoethanol (141-43-5)	
Bioconcentration factor (BCF REACH)       < 0.09	Partition coefficient n-octanol/water (Log Kow)	-2.46 @25°C
Partition coefficient n-octanol/water (Log Pow)       -1.07         Bioaccumulative potential       Not established.         12.4. Mobility in soil       -1.07         PROPYLENE GLYCOL (57-55-6)       -1.07         Organic Carbon Normalized Adsorption Coefficient (Log Koc)       0.46 @20°C         12.5. Results of PBT and vPvB assessment       -1.07         Component       Boric Acid (10043-35-3)         This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII         This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII         12.6. Other adverse effects	PROPYLENE GLYCOL (57-55-6)	
Bioaccumulative potential       Not established.         12.4. Mobility in soil       Image: Model of the solution	Bioconcentration factor (BCF REACH)	< 0.09
12.4. Mobility in soil         PROPYLENE GLYCOL (57-55-6)         Organic Carbon Normalized Adsorption Coefficient (Log Koc)         0.46 @20°C         12.5. Results of PBT and vPvB assessment         Component         Boric Acid (10043-35-3)         This substance/mixture does not meet the VPvB criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII         12.6. Other adverse effects	Partition coefficient n-octanol/water (Log Pow)	-1.07
PROPYLENE GLYCOL (57-55-6)         Organic Carbon Normalized Adsorption Coefficient (Log Koc)       0.46 @20°C         12.5. Results of PBT and vPvB assessment         Component         Boric Acid (10043-35-3)       This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII         12.6. Other adverse effects	Bioaccumulative potential	Not established.
Organic Carbon Normalized Adsorption Coefficient (Log Koc)       0.46 @20°C         12.5. Results of PBT and vPvB assessment         Component         Boric Acid (10043-35-3)       This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII         12.6. Other adverse effects	12.4. Mobility in soil	
(Log Koc)       12.5. Results of PBT and vPvB assessment         12.5. Results of PBT and vPvB assessment       Component         Boric Acid (10043-35-3)       This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII         12.6. Other adverse effects	PROPYLENE GLYCOL (57-55-6)	
Component         Boric Acid (10043-35-3)         This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII         This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII         12.6. Other adverse effects		0.46 @20°C
Boric Acid (10043-35-3)       This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII         This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII         12.6. Other adverse effects	12.5. Results of PBT and vPvB assessment	
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII         12.6. Other adverse effects	Component	
	Boric Acid (10043-35-3)	
Additional information	12.6. Other adverse effects	
	Additional information :	Avoid release to the environment.

Safety Data Sheet

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Product/Packaging disposal recommendations	Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Ecology - waste materials	: Avoid release to the environment.

# SECTION 14: Transport information

n accordance with ADR / IMDG	
ADR	IMDG
14.1. UN number	
UN 2491	UN 2491
14.2. UN proper shipping name	
ETHANOLAMINE	ETHANOLAMINE
Transport document description	
UN 2491 ETHANOLAMINE, 8, III, (E)	UN 2491 ETHANOLAMINE, 8, III
14.3. Transport hazard class(es)	
8	8
B	B
14.4. Packing group	
Ш	III
14.5. Environmental hazards	
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No
No supplementary information available	

# 14.6. Special precautions for user

Overland transport		
Classification code (ADR)	:	C7
Limited quantities (ADR)	:	51
Excepted quantities (ADR)	:	E1
Packing instructions (ADR)	:	P001, IBC03, LP01, R001
Mixed packing provisions (ADR)	:	MP19
Portable tank and bulk container instructions (ADR)	:	T4
Portable tank and bulk container special provisions	:	TP1
(ADR)		
Tank code (ADR)	:	L4BN
Vehicle for tank carriage	:	AT
Transport category (ADR)	:	3
Special provisions for carriage - Packages (ADR)	:	V12
Hazard identification number (Kemler No.)	:	80

# Safety Data Sheet

Orange plates	80 2491
Tunnel restriction code (ADR)	: E
EAC code	: 2X
Transport by sea	
Special provisions (IMDG)	: 223
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-B
Stowage category (IMDG)	: A
Segregation (IMDG)	: SGG18, SG35
Properties and observations (IMDG)	<ul> <li>Colourless. Miscible with water. Corrosive to copper, copper compounds, copper alloys and rubber. Reacts violently with acids. Liquid and vapour cause burns to skin, eyes and mucous membranes.</li> </ul>

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

## Not applicable

# **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.1.1. EU-Regulations

### **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	
3(b)	Wykabor 40.1 ; 2-aminoethanol	
30.	Boric Acid	

### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains substance(s) listed on the REACH Candidate List in concentrations ≥ 0.1 % or SCL: Boric acid (EC 233-139-2, CAS 10043-35-3)

#### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

## **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

## Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Safety Data Sheet

## 15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other i	information	
Data sources Other information	<ul> <li>REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.</li> <li>None.</li> </ul>	
Full text of H- and EU	H-statements:	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
H302	Harmful if swallowed.	
H312	Harmful in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H332	Harmful if inhaled.	
H335	May cause respiratory irritation.	
H360	May damage fertility or the unborn child.	
H360FD	May damage fertility. May damage the unborn child.	
Repr. 1B	Reproductive toxicity, Category 1B	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	

Safety Data Sheet (SDS), EU

The information provided in this safety data sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information provided is designed only as guidance for safe use, processing, handling, storage, transport, release and disposal. It is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for use in combination with any other materials or in any process, unless specified in this safety data sheet.