

WATERPROOFING SOLUTIONS

DECLARATION OF PERFORMANCE: CM8 CAVITY DRAIN MEMBRANE

ISSUE 6 2022 08 WPDOP03

1. PRODUCT NAME

CM8 CAVITY DRAIN MEMBRANE

2. INTENDED USES

Waterproofing sheet for damp proof sheets, type V, BS EN 13967: 2012 + A1: 2017

3. NAME, REGISTERED TRADE NAME

Wykamol Group Ltd Unit 3 Boran Court Network 65 Business Park Hapton, Burnley Lancashire BB11 5TH United Kingdom

4. AVCP

System 2 +

5. HARMONISED STANDARD

BS EN 13967 : 2012 + A1 : 2017

6. NOTIFIED BODIES

0809

7. DECLARED PERFORMANCE

| ESSENTIAL CHARACTERISTICS | PERFORMANCE | TEST STANDARD | HARMONISED TECHNICAL SPECIFICATION |
|---|-----------------------|-------------------------|------------------------------------|
| Water tightness, 60 kPa; 24h | Pass | EN 1928 | EN 13967: 2012 + A1 : 2017 |
| Resistance to tearing | MD - npd CMD - npd | EN 12310-1 | |
| Elongation (5%) | MD - npd CMD - npd | EN 12311-2 | |
| Compressive creep (resistance to static load) | npd | EN 13967 Annex B | |
| Impact resistance | npd | EN12691-2 Method A | |
| Durability against ageing | npd | EN 1296 / EN 1928 | |
| Durability against chemicals | npd | EN1926 / EN 1928 | |
| Fire resistance | E | EN 13501-1:2007+A1:2009 | |
| Joint tensile shear resistance | | EN 12317-2 | |
| Compressive strength | 180 kN | BS EN ISO 25619-2 | |



WATERPROOFING SOLUTIONS

DECLARATION OF PERFORMANCE: CM8 CAVITY DRAIN MEMBRANE

ISSUE 6 2022 08 WPDOP03

8. DECLARATION

The performance of the product identified above is in conformity with the set of declared performance/s.

The declaration of this performance is issued under the sole responsibility of the manufacturer identified above.

A digital copy of this Declaration of Performance can be found in our downloads library - www.wykamol.com/downloads Signed for and on behalf of the manufacturer by:

Name: Nicholas Street

Operations Director

Place and Date of Issue: Burnley, 2021 01

Signature: