

, K

Revision date 12/12/2017

Revision no. 7.0

Printed on 12/12/2017

Page no. 1 / 6

PLASTIVO 180

Liquid component

SECTION 1. Identification of the substance/preparation and of the company/undertaking

1.1 Product identifier

Name PLASTIVO 180 Liquid component

1.2. Identified relevant uses of the substance or mixture and non-recommended uses

Description/Use Adhesive and bonding agent for building material

1.3. Supplier information of the safety data sheet

Company Name VOLTECO Spa

Address Via delle Industrie, 47

District and Country 31050 Ponzano Veneto (TV) - IT

Telephone +39 0422 9663
Fax +39 0422 966401
e-mail address of the person in charge of the safety data sheet volteco@volteco.it

1.4. Emergency telephone number

For urgent enquiries, please contact +39 0422 9663

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture

Regulation EC No. 1272/2008 as amended

Non-hazardous substance or mixture according to EC Regulation No. 1272/2008.

2.2 Label elements

Special labelling

Special labelling According to EC Regulation no. 1272/2008 (CLP), the product does not need to be labelled.

EUH208 May cause an allergic reaction.

Contains: 1,2 benzisotiazol-3(2H)-one

2.3 Other hazards

Negative effects on health

Results of the PBT and vPvB evaluation The substances contained in the mixture do not meet the criteria for the identification of PBT and vPvB

substances, in accordance with Annex XIII of the REACH Regulation

SECTION 3. Composition/information on ingredients

3.1 Substance/Mixture

Product definition Aqueous dispersion of acrylic styrene copolymer

Hazardous components according to EC Regulation No. 1272/2008

Trazaradas componente accoraning to Lo riogalation No. 1212/2000					
Name	CAS	EC	%	Classification 1272/2008/EC	
1.2-benzisotiazol-3(2H)-one N° INDICE: 613-088-00-6	2634-33-5	220-120-9	< 0,01%	Acute Tox. 4 H302 Skin Irrit. 2 H315 Eye Dam. 1 H318 Skin Sens. 1 H317 Aquatic Acute 1 H400 (M=1)	

SECTION 4. First aid measures

4.1 Description of the first aid measures

General information	In case of accident or illness, immediately call a doctor (show the label if possible).
Contact with skin	Wash thoroughly with soap and water. In case of skin irritation, seek medical attention.
Contact with eyes	Rinse thoroughly for several minutes. Seek medical attention if the eye irritation persists.
Swallowing	In case of symptoms or in doubt, call a doctor.

Inhalation No special measures is required.4.2 Main symptoms and effects, both acute and delayed



Revision date 12/12/2017

Revision no. 7.0

Printed on 12/12/2017

Page no. 2 / 6

PLASTIVO 180

Liquid component

Symptoms

MAY CAUSE SENSITISATION BY SKIN CONTACT.

4.3 Indication of any immediate medical attention and special treatment needed

Elementary rescue, decontamination, symptomatic treatment.

SECTION 5. Fire-fighting measures

5.1 Extinguishing agents

Suitable extinguishing agents Carbon dioxide (CO₂), powder fire extinguisher, spraying with water

> in case of serious and extensive fire: Spray with water, alcohol-resistant foam. Coordinate the safety measures to extinguish the flames in the environment.

5.2 Special hazards arising from the substance or mixture

Hazardous decomposition products may be formed at high temperatures.

Carbon oxides, gases and vapours potentially dangerous to health may be released in the event of fire.

5.3 Recommendations for those in charge of putting out fires

Use a hermetic protective mask

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear personal protective equipment.

6.2 Environmental precautions

Prevent the product from entering the drains, surface water, ground water and confined areas.

6.3 Methods and materials for containment and cleaning up

Collect with absorbent substances (sand, diatomaceous earth, acid binder and a universal binding agent).

Treat the removed material as described in the "disposal" paragraph.

6.4 Reference to other sections

Also see Paragraph 7.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Do not eat or drink whilst working.

Avoid contact with skin and eyes; do not inhale vapours or mist.

7.2 Conditions for safe storage, including any incompatibility

Protect against frost.

TRGS 510 - 12 - Flammable liquids

7.3 Specific end uses

No particular use.

SECTION 8. Exposure control/personal protection

8.1 Control parameters

The product does not contain significant quantities of substances, the limit values of which must be kept under control in the workplace.

8.2 Exposure controls

Respiratory protection	Not necessary for normal use.
Hand protection	Wear suitable gloves.
Suitable materials	NBR (Nitrile rubber)
Thickness material	> = 0.4
Penetration time	> 480
Eye protection	Wear safety goggles to protect yourself from splashes of liquid.
Skin protection	Use suitable protective clothing.
General safety and hygiene measures for the	Avoid contact with skin

work environment

SECTION 9. Physical and chemical properties



Revision no. 7.0

Revision date 12/12/2017

Printed on 12/12/2017

Page no. 3 / 6

PLASTIVO 180 Liquid component

9.1 Information on the basic physical and chemical properties

Description	Values
Physical state	Liquid
Colour	White
рH	7-9
Melting or freezing point	ca. 0°C
Initial boiling point	Not available.
Boiling range	100°C
Flash point	Not flammable
Flammability of solids and gases	Not available.
Evaporation rate	Not available.
Lower flammability limit	Not available.
Upper flammability limit	Not available.
Lower explosivity limit	Not available.
Upper explosivity limit	Not available.
Vapour pressure	2.3 kPa (20°C)
Vapour density	Not available.
Apparent density	1 - 1.1 kg/l (20°C)
Solubility	Mixable with water
Partition coefficient n-octanol/water	Not available.
Viscosity	1500-4500 mPas (23°C)
Explosive properties	Not available.
Oxidising properties	Not available.
Decomposition temperature	Not available.
Auto-ignition temperature	Not available.

9.2 Other information

Ignition temperature: Not determined

Solid content: 56-58 %

Type of measurement: DIN EN ISO 3251

SECTION 10. Stability and reactivity

10.1 Reactivity

Stable under normal conditions.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

None.

10.4 Conditions to be avoided

Heat.

Protect against frost.

10.5 Incompatible materials

None

10.6 Hazardous decomposition products

Carbon oxides, gases and vapours potentially dangerous to health may be released due to thermal decomposition or in the event of fire.

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Hazardous ingredients

Source: 100 - supplier/own data/literatur

Name of product/ingredient	Result	Species	Dose	Exposure
1.2-benzisothiazol-3(2H)-one	LD50	Rat	1193 mg/kg	Oral
	LD50	Rat	4115 mg/kg	Dermal



Revision no. 7.0

Revision date 12/12/2017

Printed on 12/12/2017

Page no. 4 / 6

PLASTIVO 180

Liquid component

<u>Skin</u>

Non-irritating.

Eyes

Non-irritating.

Sub-acute, sub-chronic, chronic toxicity

No data available.

Respiratory tracts

Non-irritating.

Sensitisation

MAY CAUSE SENSITISATION BY SKIN CONTACT.

Carcinogenicity

No data available.

Mutagenicity

No data available.

Toxic for reproduction

No data available.

Corrosive action

No data available.

SECTION 12. Ecological information

12.1 Ecotoxicity

Use according to good work practices, avoiding release of the product in the environment.

Source: 100 - supplier/own data/literatur

Name of product/ingredient	Туре	Species	Exposure	Dose	Туре
1.2-benzisothiazol-3(2H) -one	LC50	Oncorhynchus mykis (Rainbow trout)	96 h	2.18 mg/l	Fish
	EC50	Daphnia Magna	48 h	2.94 mg/l	Algae - Aquatic plants
	ErC50	Pseudokirchneriella subcapitata	72 h	0.11 mg/l	Crustacean

12.2 Persistence and degradability

Biodegradability: No data available

12.3 Bioaccumulative potential

Information not available.

12.4 Mobility in the soil

Information not available.

12.5 Results of the PBT and vPvB evaluation

Results of the PBT and vPvB evaluation.

The substances contained in the mixture do not meet the criteria for the identification of PBT and vPvB substances, in accordance with Annex XIII of the REACH Regulation

12.6 Other adverse effects

Information not available.

SECTION 13. Disposal considerations

13.1 Waste processing methods

Do not release into the environment.

Dispose of it in compliance with the European Directives on waste or hazardous waste.

According to the European waste catalogue, the waste codes are not specific to the product, but specific to the application.

The waste codes must be assigned by the user based on the application that this product was used for.

13.2 Contaminated packaging

Empty containers should be transported to an authorised recycling or disposal site.

SECTION 14. Transport information

The product is not classified as dangerous in accordance with the provisions in force concerning transport of dangerous goods by road (ADR) and by Rail (RID), by sea (IMDG Code) and by air (IATA).



Revision no. 7.0

Revision date 12/12/2017

Printed on 12/12/2017

Page no. 5 / 6

PLASTIVO 180 Liquid component

SECTION 15. Regulatory information

15.1 Specific standards and regulations on health, safety and environment for the substance or mixture

EC Regulation No. 1907/2006 (REACH) EC Regulation No. 1272/2008 (CLP) EC Regulation No. 790/2009 (I Atp. CLP) EC Regulation No. 453/2010 (Annex 1)

15.2 Chemical safety assessment

Not applicable.

SECTION 16. Other information

Text of hazard (H) phrases mentioned in Sections 2-3 of the data sheet:

Text of hazard (11) phraded mentioned in educine 2 e of the data offect.				
EUH208	Contains: 1,2-benzisotiazol-3(2H)-one.	May cause an allergic reaction.		
EUH210	Safety data sheet available on request.			
H302	Acute Oral Tox. 4	Harmful if swallowed		
H315	Skin Irrit. 2	Causes skin irritation, Category 2.		
H317	Skin Sens. 1	Skin sensitisation, Category 1		
H318	Eye Dam. 1	Causes serious eye damage, Category 1		
H400	Aquatic Acute 1	Hazardous to the aquatic environment - Acute hazard, Category 2		
H410	Aquatic Chronic 1	Very toxic to aquatic organisms.		

SAFETY DATA SHEET ON VOLUNTARY BASIS

The product is not classified as hazardous.

A safety data sheet is not required by the regulations in force.

We provide, on a voluntary basis, a safety data sheet compiled in accordance with EC Regulation No. 1907/2006 (REACH).

Abbreviations and acronyms

- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- CAS NUMBER: Chemical Abstract Service NUMBER
- CE50: Concentration that causes effect to 50% of the population subjected to a test
- CE NUMBER: Identification NUMBER in ESIS (European archive of existing substances)
- CLP: Classification, Labelling, Packaging (EC Regulation No. 1272/2008)
- DNEL: Derived no effect level
- EmS: Emergency Schedule
- GHS: Global harmonised system to classify and label Chemical products
- IATA DGR: Regulations to transport Dangerous Goods of the International Air transport Association
- IC50: Concentration that immobilises 50% of the population subjected to a test
- IMDG: International maritime code for transport of Dangerous Goods
- IMO: International maritime Organization
- INDEX NUMBER: INDEX NUMBER of Annex VI of the CLP
- LC50: Lethal concentration for 50% of the test population
- LD50: Lethal dose for 50% of the test population
- OEL: EU occupational exposure limit value
- PBT: Persistent bioaccumulative and toxic according to REACH
- PEC: Predicted environmental concentration
- PEL: Predictable exposure level
- PNEC: Predicted no-effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulations concerning the International Carriage of Dangerous Goods by Rail
- TLV: occupational exposure threshold limit value
- TLV CEILING: concentration that must Not be exceeded during any time of working exposure
- TWA STEL: Short time exposure limit
- TWA: 8-hour time-weighted average exposure limit
- VOC: Volatile organic compound
- vPvB: Very Persistent and Very bioaccumulative according to REACH

GENERAL BIBLIOGRAPHY

- 1. Directive 1999/45/EC and subsequent amendments
- 2. Directive 67/548/EC as amended



Revision no. 7.0

Revision date 12/12/2017

Printed on 12/12/2017

Page no. 6 / 6

PLASTIVO 180

Liquid component

- EC Regulation No. 1907/2006 of the European Parliament (REACH)
- EC Regulation No. 1272/2008 of the European Parliament (CLP)
- EC Regulation No. 790/2009 of the European Parliament (I Atp. CLP)
- EC Regulation No. 453/2010 of the European Parliament
- EC Regulation No. 286/2011 of the European Parliament (II Atp. CLP)
- The Merck Index. Ed. 10
- Handling Chemical Safety
- Niosh Registry of Toxic Effects of Chemical Substances
- INRS Fiche Toxicologique
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials 7 Ed., 1989
- ECHA Agency website

Note for the user

The information contained in this data sheet is based on the knowledge available to us at the date of the last version.

The user must verify the suitability and completeness of the information according to each specific use of the product.

This document must not be considered a guarantee of any specific property of the product.

Since product use is not subject to our direct control, the user is obliged, under his own responsibility, to comply with the health and safety regulations and laws in force. We accept no responsibility for improper use.

We accept no responsibility for improper use.

Provide adequate training to people in charge of using chemical products.